

The Female Reproductive System - Indications for Visceral Manipulation

Every patient who undergoes an **operation** on the **urogenital system** should consult an osteopath/practitioner of VM postoperatively after three menstrual cycles.

It is referred to surgery for **cysts, fibromas and neoplasms**, as well as **ligamentopexies, caesarian sections** and even **colposcopies** (which often get ignored because it seems as harmless as hysterosalpingography or ultrasound. It is an invasive procedure with subsequent irritation and possible scarring from the healing process).

Anytime a serous membrane is opened, it tends to become irritated and undergo adhesions and other restrictions of the organ and, over time, the neighboring organs.

The risk of mechanical trauma to the reproductive system is high following **obstetrical procedures**.

Osteopaths believe that **lower back problems** particularly in women are usually secondary to the problems of urogenital organ position rather than to the sacrosanct disc disorders.

People are rarely aware of the problem in or near an organ until the ability of the musculature to compensate for the problem is exceeded, announced by pain experienced in the **musculoskeletal system**.

The more time passes before we get an osteopathic treatment, the longer it takes to reverse a condition and bring the whole body back into a healthy and aligned state.

Pre and post surgery treatments with powerful osteopathic methods like **CranioSacral Therapy** and **Visceral Manipulation** will help you to get back onto your feet and prevent future pathologies which may then need much more invasive treatments.